



ANALYTICAL REPORT

Report Date: December 09, 2020

Justin Zehrung
Essential Source, Inc.
625 W Deer Valley Rd
Suite 103-152
Phoenix, AZ 85027

Phone: 877-879-9966

E-mail: justinz@essentialsource.net

Workorder: **34-2033041**

Client Project ID: Essential Source
Purchase Order: NA
Project Manager: Jessica Helland

Analytical Results

Sample ID: THC Free, Lot JP110320T4	Serving Size: 1 mL	Received: 11/24/2020			
Lab ID: 2033041001	Average Weight: NA				
Matrix: Liquid					
Analysis Method - THC by LC/MS					
Preparation: Not Applicable	Analysis: THC by LC/MS, Liquid Batch: LCMS/5604 (HBN: 272557) Analyzed: 12/08/2020 00:00	Instrument ID: LCMS04			
Analyte	Result (mg/L)	Result (mg/serving)	Result (%)	RL (mg/L)	Dilution
THC	15	NA	0.0015	0.10	1

Report Authorization (/S/ is an electronic signature that complies with 21 CFR Part 11)

Method	Analyst	Peer Review
THC by LC/MS	/S/ Thomas Bosch 12/09/2020 12:07	/S/ Christopher Winter 12/09/2020 14:21

Laboratory Contact Information

ALS Environmental
960 W LeVoy Drive
Salt Lake City, Utah 84123

Phone: (801) 266-7700
Email: als.lt.lab@ALSGlobal.com
Web: www.alssl.com

ADDRESS 960 West LeVoy Drive, Salt Lake City, Utah, 84123 USA | PHONE +1 801 266 7700 | FAX +1 801 268 9992

ALS GROUP USA, CORP. An ALS Limited Company

Environmental

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER



ANALYTICAL REPORT

Workorder: **34-2033041**

Client Project ID: Essential Source

Purchase Order: NA

Project Manager: Jessica Helland

General Lab Comments

The results provided in this report relate only to the items tested.

Samples were received in acceptable condition unless otherwise noted.

The following was provided by the client: Sample ID, Collection Date, Sampling Location, Media Type, Sampling Parameter.

Collection Date, Media Type, and Sampling Parameter can potentially affect the validity of the results.

Samples have not been blank corrected unless otherwise noted.

This test report shall not be reproduced, except in full, without written approval of ALS.

ALS provides professional analytical services for all samples submitted. ALS is not in a position to interpret the data and assumes no responsibility for the quality of the samples submitted.

All quality control samples processed with the samples in this report yielded acceptable results unless otherwise noted.

ALS is accredited for specific fields of testing (scopes) in the following testing sectors. The quality system implemented at ALS conforms to accreditation requirements and is applied to all analytical testing performed by ALS. The following table lists testing sector, accreditation body, accreditation number and website. Please contact these accrediting bodies or your ALS project manager for the current scope of accreditation that applies to your analytical testing.

Testing Sector	Accreditation Body (Standard)	Certificate Number	Website
Environmental	PJLA (DoD ELAP)	L20-57	http://www.pjlab.com
	PJLA (ISO 17025)	L20-58	http://www.pjlab.com
	Utah (TNI)	UT00953	http://lams.nelac-institute.org/search
Industrial Hygiene	AIHA (ISO 17025 & AIHA IHLAP)	101574	http://www.aihaaccreditedlabs.org
	DOECAP-AP	L20-59	http://www.pjlab.com
	Washington	C596	https://ecology.wa.gov/Regulations-Permits/Permits-certifications/Laboratory-Accreditation
Dietary Supplements	PJLA (ISO 17025)	L17-507-R1	http://www.pjlab.com

Result Symbol Definitions

MDL = Method Detection Limit, a statistical estimate of method/media/instrument sensitivity.

RL = Reporting Limit, a verified value of method/media/instrument sensitivity.

ND = Not Detected, testing result not detected above the MDL or RL.

< Means this testing result is less than the numerical value.

** No result could be reported, see sample comments for details.